

CONTRACT & COMMERCIAL – SECTION ONE

NOLAN CARPET TILES



E4 Jan 2011

Nolan.UDA

Sydney: (02) 9669 3333 • Newcastle: (02) 4957 7766
Melbourne: (03) 9545 5588 • Brisbane: (07) 3387 8500
Adelaide: (08) 8260 1055 • Perth: (08) 9376 2666
Darwin: (08) 8981 1555

www.NolanUDA.com.au

NOLAN CARPET TILES

The Nolan Carpets range of premium modular tiles has been developed to combine performance with style. This collection is available in a wide range of contemporary plains and patterns to satisfy the most ambitious designer. Supported with a 10 year heavy duty commercial warranty, these tiles will provide many years of service for any commercial environment.



KEY PRODUCT FEATURES



- ✓ *Durable & hardwearing*
- ✓ *Stain resistant*
- ✓ *Design freedom*
- ✓ *Anti static*
- ✓ *Anti-microbial*
- ✓ *Environmentally friendly*
- ✓ *Supported with a 10 year warranty*




CONSUMER GUIDE

The advantage of choosing carpet tiles over traditional broadloom carpet is flexibility. Carpet tiles can be installed in any colour combination with the end result only limited by a designer's imagination. Borders and highlights can be installed providing a visual variation between areas.

Carpet tiles can also provide physical flexibility. Modular tiles are installed with a semi permanent adhesive. This allows for individual tiles to be moved and swapped to even out wear or repair damage by simply replacing the effected area.

PRODUCT DETAILS

WISTARIA



Colour: Charcoal
Part #: 05TIL WIS CHA



Colour: Slate
Part #: 05TIL WIS SLA



Colour: Midnight
Part #: 05TIL WIS MID



Colour: Cobalt
Part #: 05TIL WIS COB



Colour: Chocolate
Part #: 05TIL WIS CHO



Colour: Khaki
Part #: 05TIL WIS KHA




Colour: Mushroom
Part #: 05TIL WIS MUS




Colour: Scarlet
Part #: 05TIL WIS SCA


Installation Methods




Monolithic



Brick



Ashlar



Quarter Turn

RAINIER



Colour: Iron
Part #: 05TIL RAI IRO



Colour: Aluminium
Part #: 05TIL RAI ALU




Colour: Taupe
Part #: 05TIL RAI TAU



Colour: Champagne
Part #: 05TIL RAI CHA




Colour: Azure
Part #: 05TIL RAI AZU




Colour: Olive
Part #: 05TIL RAI OLI

Installation Methods



Monolithic



Quarter Turn

PRODUCT DETAILS

CAMBRIDGE



Colour: Ink Part #: 05TIL CAM INK



Colour: Carbon
Part #: 05TIL CAM CAR



Platinum
05TIL CAM PLA




Colour: Sandstone
Part #: 05TIL CAM SAN




Espresso
05TIL CAM ESP

Installation Method



Quarter Turn

BASE




Colour: Ebony
Part #: 05TIL BAS EBO



Gunmetal
05TIL BAS GUN




Colour: Bark
Part #: 05TIL BAS BAR




Glacier
05TIL BAS GLA


Installation Methods



Monolithic



Brick



Quarter Turn

PRODUCT DETAILS

BARCELONA



Colour: Autumn
Part #: 05TIL BAR AUT



Winter
05TIL BAR WIN




Colour: Spring
Part #: 05TIL BAR SPR




Summer
05TIL BAR SUM


Installation Methods



Monolithic




Brick



Quarter Turn

GINO




Colour: Volcano
Part #: 05TIL GIN VOL




Colour: Iceberg
Part #: 05TIL GIN ICE

Installation Methods



Ashlar



Quarter Turn

SPECIFICATIONS

Product	WISTARIA	RAINIER	CAMBRIDGE	BASE	BARCELONA	GINO
Construction	Level Loop	Multi-level Loop	Level Loop	Multi-level Loop	Multi-level Loop	Multi-level Loop
Pile Yarn	100% Invista Type 6 Nylon	100% Invista Type 6 Nylon	100% Invista Type 6 Nylon	70% Solutia 6.6 Nylon, 30% Telylon 6.0 Nylon	100% Invista Type 6 Nylon	100% Invista Type 6 Nylon
Gauge	5/64"	1/2"	5/64"	1/2"	1/2"	1/2"
Stitch	9 per inch	10 per inch	9 per inch	10 per inch	10 per inch	10 per inch
Pile Weight	680gsm (20oz)	714gsm (21oz)	680gsm (20oz)	714gsm (21oz)	748gsm (22oz)	714gsm (21oz)
Pile Thickness	3mm +/- 0.5mm	3.5mm +/- 0.5mm	3mm +/- 0.5mm	4mm +/- 0.5mm	4mm +/- 0.5mm	4mm +/- 0.5mm

All Product Ranges

Primary Backing	Non Woven
Backing	PVC with Fibreglass Reinforcing
Tile Dimension	50cm x 50cm
Application Rating	Extra Heavy Commercial
Fire Resistance	AS/ISO 9239.1 Critical Radiant Flux: 4.5kW/m2 Smoke Value: 203% min
Static Control	Anti-Static GB/T 18044-2000 Class 1
Abrasion Resistant	TWC 247/251/284-2000 Hexapod Test. Texture: 3 Colour: 3-4
Colourfastness to Light	ISO 105-Bo2-1994 Xenon Arc Lightfastness rating: 5
Anti Microbial	AATCC 147-2004 Resistance to Bacteria, Fungi & Dust Mites

10 YEAR WARRANTY

Nolan.UDA Pty Limited (ABN: 28 135 927 249) guarantees that the Nolan Carpet Tile Collection is manufactured under the stringent ISO 9001 international quality control standard. If received in original condition and installed to Australian standards, the Nolan Carpet Tile Collection is guaranteed against all manufacturing defects.

10 Year Wear Warranty

Nolan.UDA warrant that the Nolan Carpet Tile Collection will lose no more than 10% of pile weight and will maintain a serviceable surface for a period of ten (10) years. This warranty excludes stairs. This warranty begins from the date of original purchase and continues in effect for a period of ten (10) years provided the carpet tiles are installed and maintained in accordance with the published manufacturers recommendations. This warranty does not cover tears, cuts, burns or damage caused by improper use or malicious damage.

10 Year Stain Removal Warranty

Nolan.UDA warrant that the Nolan Carpet Tile Collection when installed and maintained in accordance with the published manufacturers recommendations, will resist stains caused by spills during a ten (10) year period from the original date of purchase, subject to the following exclusions: general soiling, discolouration, appearance change due to pile distortion and exposure to substances or contaminants which degrade or destroy nylon yarn. In addition to these, this guarantee excludes carpet which has been surface-treated with material

not recommended or approved by the manufacturer and carpet which has been subject to abnormal use or cleaning agents not recommended in the care and maintenance guide.

10 Year Colour Fastness Warranty

(FOR INDOOR USE ONLY) Nolan.UDA warrant that the Nolan Carpet Tile Collection, when installed and maintained in accordance with the manufacturers recommendations, will resist colour degradation against exposure to light and atmospheric contaminants for a period of ten (10) years from the date of original purchase.

10 Year Backing Integrity Warranty

Nolan.UDA warrant that, under normal conditions, the secondary backing will not delaminate for a period of ten (10) years from the date of original purchase.

10 Year Dimensional Stability Warranty

Nolan.UDA warrant that under normal conditions, the Nolan Carpet Tile Collection will remain dimensionally stable for a period of ten (10) years from the date of original purchase. This warranty also states the product will resist shrinking, stretching, cupping, doming, curling or dishing.

Life-time Static Control Warranty

Nolan.UDA warrant for the serviceable life of the carpet, that in a normal commercial environment, the Nolan Carpet Tiles Collection will not generate static greater than 3.5kV. No static shocks will be experienced by a human being as a result of the carpet.