

CONTRACT & COMMERCIAL – SECTION THREE

ACOUSTIC WALLING FABRIC



E4 Jan 2011

Nolan.UDA

Sydney: (02) 9669 3333 • Newcastle: (02) 4957 7766
Melbourne: (03) 9545 5588 • Brisbane: (07) 3387 8500
Adelaide: (08) 8260 1055 • Perth: (08) 9376 2666
Darwin: (08) 8981 1555

www.NolanUDA.com.au

ACOUSTIC WALLING FABRIC

Quietspace™ Acoustic Fabric is a decorative wall covering specifically designed to control noise reverberation (echoing) creating a quiet commercial environment. Available in sheet form and the unique Peel 'n' Stick 600mm x 600mm tiles, this stylish fabric provides a functional finish with a choice of 30 contemporary colours and 2 textured finishes. Quietspace™ is manufactured under strict ISO 9001 quality control systems to ensure product quality and performance.

Quietspace™ is made from 100% polyester using a stringent 'environmentally friendly' system which incorporates the use of recycled fibre and a zero waste policy. This allows designers and engineers to embrace an Eco-Design installation without compromise. Quietspace™ is non-toxic, non-irritant and will not omit VOC's.

KEY PRODUCT FEATURES



- ✓ *Exceptional acoustic properties*
- ✓ *Thermal temperature control*
- ✓ *Pin, staple and 'hook & loop' compatible*
- ✓ *Environmentally friendly*



- ✓ *Durable and easy to maintain*
- ✓ *Easy to install*
- ✓ *Resilient against moisture and breakdown*
- ✓ *Colour fast*



CONSUMER GUIDE

Noise reverberation (echoing) is one of the most common problems for any domestic or commercial building. Using the education market sector as an example, studies have proven that classroom noise dramatically affects the concentration span of a student and their ability to learn. A simple solution is to install Quietspace acoustic fabric. Without Quietspace, sound is deflected off hard surfaces (usually walls) creating an echoing effect. Quietspace acoustic fabric has been engineered to reduce and control sound. Typically 40% of all sounds are absorbed proving a quiet, ambient environment.

PRODUCT DETAILS

Often wall preparation and painting can be a messy, time consuming and costly exercise. Installing QuietSpace™ Acoustic Fabric can eliminate these factors providing a functional and contemporary finish.




DIMENSIONS

Product Weight	Nominal Thickness	Roll Width	Roll Length	Peel 'n' Stick Tiles
Typically 1600gsm	12mm	1.22 metres	25 metres	600mm x 600mm x 6 tiles per pack (2.16m ² coverage)

SPECIFICATIONS

Acoustic Properties

QuietSpace™ has been independently tested achieving a 'Noise reduction coefficient' of 0.40. In simple terms this reduces reverberated noise by 40% controlling common and unwanted acoustic problems.



Finish	Available in velour or rib finish
Fire Ratings	AS1530 Part 3 Spread of Flame (Index 0-10) 0 Smoke Developed (Index 0-10) 5
AS3837 Group 3	Average specific extinction area: 157.7m ² /kg
BS476 Part 5 Part 6 Part 7	Class P Index I ₁ = 5.2 Index I ₂ = 3.2 Index I ₃ = 0.8 Fire Propagation Index = 9.2 Class 1Y

CARE INSTRUCTIONS



The QuietSpace™ Acoustic Fabric range of products are extremely durable and require little attention to maintain their good looks. Light vacuuming on a regular basis will prevent dust build up and most marks can be cleaned with a mild detergent solution followed by rinsing and blotting.



































Before carrying out a proposed cleaning method, apply to a concealed section to ensure it will not affect the wall covering or adhesive. Avoid severe abrasion. Vacuum to restore pile, but do not use a stiff brush. NB: Solvent and mineral based cleaners should be used sparingly to avoid possible degradation of the adhesive adhering the fabric to the substrate.

For a copy of the detailed cleaning guide on how to remove specific stains, contact your local Nolan.UDA branch.



PRODUCT DETAILS

This **Quietspace** colour range has been developed for any modern commercial interior and is designed to compliment the Autex range of commercial floor coverings.

Colour						
Part #	07 QUI STA	07 QUI NAU	07 QUI AUB	07 QUI SPE	07 QUI SAN	07 QUI CHI
Tiles	07PNS QUI STA	07PNS QUI NAU	07PNS QUI AUB	07PNS QUI SPE	07PNS QUI SAN	07PNS QUI CHI
Colour						
Part #	07 QUI THE	07 QUI LIM	07 QUI AVO	07 QUI SILV	07 QUI LIG	07 QUI NOI
Tiles	07PNS QUI THE	07PNS QUI LIM	07PNS QUI AVO	07PNS QUI SIL	07PNS QUI LIG	07PNS QUI NOI
Colour						
Part #	07 QUI INK	07 QUI CAL	07 QUI SKY	07 QUI POR	07 QUI BLU	07 QUI BUT
Colour						
Part #	07 QUI SIM	07 QUI CLA	07 QUI OCT	07 QUI BLA	07 QUI WAS	07 QUI JAD
Colour						
Part #	07 QUI PES	07 QUI CIN	07 QUI MYS	07 QUI KOA	07 QUI BAR	07 QUI SILH
Colour					<p>Part numbers are for rolls unless otherwise stated.</p> <p>Quietspace™</p>	
Part #	07 QUI ELE	07 QUI BLAZ	07 QUI GRA	07 QUI BRI		